

Patient Inclusion Criteria

- Diagnosis of prostate adenocarcinoma
- Patient treated with a curative intent with radiotherapy to at least the prostate or prostate bed (includes radiation for intact prostate cancer and post-prostatectomy treatment delivered as adjuvant or salvage radiation with or without hormone therapy).
- Localized +/- regional metastatic disease (regional lymph node metastases are still eligible for inclusion, which include obturator, internal iliac, external iliac, and common iliac lymph node stations).
- Patients without email addresses can still be included if a paper data collection process is in place to collect baseline and follow-up data.

Patient Exclusion Criteria

- Prior pelvic radiation as part of a different treatment course (patients treated with combination therapy of EBRT and brachytherapy at the same institution are eligible)
- Prior focal therapy (cryotherapy, HIFU, or focal laser ablation)
- Neuroendocrine or small cell prostate cancer confirmed by pathology
- The patient refused to complete surveys
- Metastatic disease. Metastatic disease is defined as any of the following:
 - Any bone metastasis
 - Any nodal metastasis above the common iliacs (e.g., para-aortic, mediastinal/hilar, supraclavicular)
 - Any visceral metastasis (e.g., lung, liver, brain)
- Second active cancer currently receiving therapy or planned therapy within the next 12 months